Reader Merge Codes

Last modified on 09/25/2026 9:42 am EDT

Here are the available template merge codes for use in any of the following locations:

- **Customize > Style (HTML & CSS) > Custom HTML**
- **Customize > Homepage**
- **Pages**
- **Customize > Contact Form**

Reader merge code	Description
[reader("**id**")]	The current reader's ID (which you can see in the UI if you open the reader's details--the ID is the final portion of the URL).
[reader("**username**")]	The current reader's username / login. Works with both readers and authors.
[reader("**first-name**")]	The current reader's first name.
[reader("**last-name**")]	The current reader's last name.
[reader("**full-name**")]	The current reader's first and last name.
[reader("**groups**")]	A comma-separated list of the current reader's groups.
[reader("**ssoid**")]	The current reader's SSOID. Only shows anything for readers logging in through Single Sign-On.
[reader("**custom1**")]	Whatever is specified in the Custom 1 field for any given reader. Refer to Custom fields for more information.
[reader("**custom2**")]	Whatever is specified in the Custom 2 field for any given reader. Refer to Custom fields for more information.
[reader("**custom3**")]	Whatever is specified in the Custom 3 field for any given reader. Refer to Custom fields for more information.

Copyright © 2015 – 2025 Silly Moose, LLC. All rights reserved.
Powered by KnowledgeOwl knowledge base software.

Reader merge code	Description
[reader("**custom4**")]	Whatever is specified in the Custom 4 field for any given reader. Refer to Custom fields for more information.
[reader("**custom5**")]	Whatever is specified in the Custom 5 field for any given reader. Refer to Custom fields for more information.

Copyright © 2015 – 2025 Silly Moose, LLC. All rights reserved.
Powered by KnowledgeOwl knowledge base software.