Style the letters at the top of the glossary

Last modified on 07/16/2026 4:44 pm EDT

When you view the glossary, all letters in the alphabet are displayed across the top for quick navigation.

When no glossary terms begin with a letter, that letter is displayed as normal text. The letters containing glossary terms are hyperlinked, and will appear the same color as other hyperlinks in your knowledge base.

You can customize the color and look and feel of active (hyperlinked) and inactive (no hyperlink) glossary header letters. Check out the combined style example for an example that includes customized changes for both glossary letter types.

Style active letters

To change the color of the glossary active/hyperlinked letters:

1. Go to **Customize > Style (HTML & CSS)**.
2. In the **Customize HTML, CSS, and JS** section, select **Custom CSS**.
3. Copy the code below and paste it into the bottom of your Custom CSS:

```
/* Set color of active Glossary navigation letters */
a.glossary-jump-to-link:not(.btn) {
  color: #1f9baa;
}
```

4. To change the color, update the hex code in line 3 to be the color you'd like. You can also add additional styling, like changing the font-weight, font-family, underlining, etc.
5. If you'd like, you can also update the color of the link on-hover. To do so, repeat the steps above but copy and paste this code:

```
/* Set color of active Glossary navigation letters on-hover*/
a.glossary-jump-to-link:not(.btn):hover {
  color: #fc9f00;
}
```

6. Be sure to **Save** your changes.

Copyright © 2015 – 2025 Silly Moose, LLC. All rights reserved.
Powered by KnowledgeOwl knowledge base software.

Style inactive letters

To change the color of the glossary inactive/unhyperlinked letters:

1. **Go to Customize > Style (HTML & CSS).**
2. **In the Customize HTML, CSS, and JS section, select Custom CSS.**
3. **Copy the code below and paste it into the bottom of your Custom CSS:**

```
/* Set color of inactive Glossary navigation letters */
span.glossary-jump-to-link {
  color: #1f9baa;
}
```

4. **To change the color, update the hex code in row 3 to be the color you'd like. You can also add additional styling, like changing the font-weight, font-family, underlining, etc.**
5. **Be sure to Save your changes.**

Combined style example

Here's some sample CSS to adjust the active glossary letters to be blue, the inactive letters to be a light orange, and active glossary letters to turn a dark orange and get underlined when they're hovered over:

```
/* Set color of active Glossary navigation letters */
a.glossary-jump-to-link:not(.btn) {
  color: #6FA2FF;
}


/* Set color and underline of active Glossary navigation letters on-hover*/
a.glossary-jump-to-link:not(.btn):hover {
  color: #9C4728;
  text-decoration: underline;
}


/* Set color of inactive Glossary navigation letters */
span.glossary-jump-to-link {
  color: #DC9B83;
}
```

And here's the sample end-product, where I have active terms in A and S and I'm hovering over the S:



Copyright © 2015 – 2025 Silly Moose, LLC. All rights reserved.
Powered by KnowledgeOwl knowledge base software.

Copyright © 2015 – 2025 Silly Moose, LLC. All rights reserved.
Powered by KnowledgeOwl knowledge base software.