



Reuse, link, and recommend articles

Last Modified on 08/27/2025 5:16 pm EDT

Learn how to link between articles, share a whole article's content, and set up related articles and page recommendations.

Share articles between categories and knowledge bases

You can use a single article in multiple categories and across knowledge bases. The content (body) of the article as well as all versions stay in sync across all shared articles. Each article can have its own title, restrictions, and callouts. These are called [shared content articles](#).

Updating the content of any of the articles updates the content of all of them.

To share an existing article in another category or knowledge base:

1. On the **Articles** page, navigate to the location where you wish to add the article.
2. Select **+ Add Article**.
3. Select **Share content from an existing article**.

Add Article

×

① An article is an individual page that shows up in search.

Article Title:

Article Title

☐ New article
Start from scratch

☐ Create from template
Start from an existing template

☐ Copy from existing
Search for any existing article to use as a starting point

☒ Share content from an existing article
Article body will be shared with an existing article

Search for an existing article:

Start typing title...

In Knowledge Base:

KnowledgeOwl Support

Silly Moose Manual

4. Additional options appear below. If you have multiple knowledge bases, the knowledge base you're currently in is selected, but you can select a different knowledge base's articles to search.

5. Next, in the Search for existing article field, start typing part of the article's name. This is an exact match search, and the dropdown will offer you articles that match your search.

Add Article

×

① An article is an individual page that shows up in search.

Article Title:

Article Title

☐ New article
Start from scratch

☐ Create from template
Start from an existing template

☐ Copy from existing
Search for any existing article to use as a starting point

☒ Share content from an existing article
Article body will be shared with an existing article

Search for an existing article:


Start typing title...

In Knowledge Base:


KnowledgeOwl Support

Silly Moose Manual

- Once the article you wish to share content with appears, select it.
- This will copy the **Article Title** field at the top, based on the shared content article's title. You can change this if you wish.
- Once you're done selecting the article and editing the title (if needed), click the **Add and Edit** button in the lower right to complete the content sharing.



- This will open the new, shared content article. It will have all the content of the article you selected when you created it. It will open in Draft mode and will have a banner reminding you that this content is linked to an article in another location. Use the links in this banner to quickly navigate to the synced content article or the knowledge base where this is located.



- You are now free to make any other changes as necessary to the article. Remember that any changes to the article body will be updated in **all** shared content articles.

For information on what gets shared and how, see [Shared content articles](#).

Topic articles

You can set an internal **reuse flag** to mark any article in your knowledge base as a Topic Article.

Topic articles appear in search and the table of contents like any other article. But they can also be embedded within other articles. This will embed the body of the topic article without the title. This is great for content that needs to be displayed as a set of preliminary or introductory steps, hidden from certain groups, and so on.

There are a few tricks to using topic articles:

- When a topic article is embedded within another article and a reader searches for text within the topic article, search results will only list the topic article, not the article(s) it's embedded in.
- [Automatic highlighting of glossary terms](#) won't work in embedded topic articles; use [manually inserted glossary definitions](#) instead
- Topic articles embedded within *other* topic articles will not display wherever that additional topic article is embedded. So, for example:
 - Topic Article A contains information on your pricing structure
 - Topic Article B contains information on your subscription plans and discounts. Topic Article A is embedded in Topic Article B. Content should load properly.
 - Topic Article B is then embedded in Topic Article C. Topic Article B's own content will load properly, but the content of Topic Article A won't show here.
 - If you need to do something like this, you could consider using a [snippet](#) in place of one of these topic articles.
- Also of note: if you use versions in your topic article, you cannot mark these as [ready for review](#) and see them within the article where the topic article has been embedded--you can only review them within the topic article itself.
- If you are using reader group restrictions on your topic articles: in your live knowledge base, the topic article will only be visible to readers who belong to the reader group(s).
- **Topic articles + pdfs:** Topic articles get a somewhat special treatment when they are embedded in other articles and that other content is downloaded to PDF. Since the PDF generator is reader-agnostic, we use this logic:
 - If the topic article has no reader group restrictions, it will be included in all PDF downloads.
 - If the topic article has reader group restrictions, it will only be included in a PDF download if that content has a matching reader group that is assigned in the **Restrict to Groups** or **Add More Restrictions** section. [It cannot depend only on an Inherited Restriction.]
 - In all cases, for reader groups to work properly, the topic article must have the reader groups added using the **Restrict to Groups** checkboxes (if it has no inherited restrictions) OR if it has inherited restrictions, the group is also checked in the **Add More Restrictions** section.
 - If the article where it's embedded has no inherited reader group restrictions, but has **Restrict to Groups** boxes checked, those checkboxes must match what's used in the topic article.
 - If the article where it's embedded has inherited reader group restrictions only, the topic article won't be displayed unless you explicitly add the reader group in the **Add More Restrictions** section of the article.
 - For PDFs where the topic article is not displayed, the text of the topic article will be completely omitted, as when you view the article in the live knowledge base without belonging to the appropriate reader group.
 - For example: let's say I have a topic article that is restricted to my Support reader group, and I have embedded it in several articles. Here's what I can expect in the PDF download of those articles:

Article title	Reader group restrictions	Article PDF result
How to Fly	None	Topic article not displayed

Article title	Reader group restrictions	Article PDF result
Dare to be Birds	Restricted to Customer reader group in Restrict to Groups	Topic article not displayed
It's Owl Good	Restricted to Support reader group in Restrict to Groups (matches my topic article)	Topic article displayed
Welcome Owlboard	Inherited restriction to Support reader group	Topic article not displayed
Lions and Tigers and Owls	Inherited restriction to Support reader group and restricted to Support reader group in Add More Restrictions (matches my topic article)	Topic article displayed

As you can see from this information: if the article that you're embedding your topic article within only has inherited reader group restrictions, you have to also explicitly assign those same reader groups to the article in order for the topic article to show up in the article PDF.



If you're looking for a solution that's not searchable on its own, but is still a reusable element, consider using [snippets](#) instead!

Create a topic article

You can make any article into a topic article by checking the Reuse Flags box for **Topic Article** in the article editor. Be sure to click **Save** to save your changes.

Reuse Flags

☐ Template Article i

☒ Topic Article i

Display Settings


☐ Exclude from search results

The Topic Article checkbox is in the Reuse Flags section of the righthand column


Insert a topic article into another article

Once you have one or more topic articles created, you can insert them in other articles.

1. In the article you want to display the topic article in, click the **Insert Topic Article** icon in the editor:



2. This will open a pop-up where you can search for articles that have been flagged as topic articles.
3. Type in the name of the topic article you want to insert. The search will autosuggest as you type. Once you find the topic article you want to insert, click on it and click the **Insert Topic Article** button.



4. You'll see a `[[kb-topic:xxxxx]]` inserted.
5. Click **Save** to save your changes.

The body of your topic article will now display within the main article.

Use cases

There are three main use cases for topic articles.

Reused text

As Linus works on his documentation, he has an article that details a series of steps all of his support agents have to go through every time they access customer information. This set of steps appears at the start of roughly half of his documentation. Rather than copy and paste these steps into every other document or link out to those steps, he can set the login steps article as a Topic article. Then he can insert this topic article into each of the documents where those are preliminary steps.

There are two advantages to this: it saves him time (inserting a topic article takes only a couple seconds) and it keeps the steps more consistent. If the steps change, he only needs to edit the topic article and all the related articles will display those new, updated steps.

Customer-facing documentation with internal-only text

One of the knowledge bases Linus works on is a customer-facing product support knowledge base. But Linus also has a team of customer support agents who reference these documents. He wants to be able to include support-specific steps in those customer-facing documents, without having to create copies or a separate knowledge base.

Topic articles, like all articles, can be shown or hidden based on the Restrict to Groups settings. Linus can create the support-specific steps as a topic article. When he inserts that topic article into his customer-facing documentation, he can put it in the section of the customer documentation it's most relevant for. Customers won't be able to see it, but his support agents *will* be able to see it.

Video or file libraries

Linus has a knowledge base where each video is its own article, in different categories. But he wants to be able to display a collection of his videos in one place, as a kind of video library. He can set each video article to be a topic article, and then he can create a single longer article and insert each of his video library topic articles into it.

This allows each of his videos to be searchable and navigable independently, but also makes it easy for him to have a consolidated library of all of his resources.

Related articles section

See the [Related Articles](#) guide for more information on this feature.

Use Widget 2.0 for Contextual Help: Recommend on Pages

Recommend On Pages allows you to provide contextual help to your readers through the embeddable [Contextual Help Widget \(2.0\)](#) or the API. For articles or categories in your knowledge base, you enter the Recommend On Pages relative URLs where the content should be recommended. When a reader opens your widget from the site where you have it embedded, the widget grabs the relative URL and displays the list of relevant content in the Recommended tab.

For example, if you associate articles with the `"/pricing"` page on your website, these articles appear when the contextual help widget is opened on your pricing page. When a reader opens a different page, different resources are recommended.

In Widget 2.0, the Recommend on Pages will update the Recommended tab list:



To start using this feature, you'll need to:

- Set the Widget Settings to use the appropriate **Suggested Content** setting
- Add URLs from your main application or website to the articles or categories you'd like to recommend in the

widget or API

Configuration - Widget settings

First, in **KB settings > Widget**, check your widget's [Admin Settings](#). Be sure that the **Suggested Content** option best matches how your website or application is set up. This is usually a one-time set-up.

Choose from:

- Suggest content based off of the page path
- Use the page query strings to suggest content
- Disable automatic page suggestions
- And choose whether to Exclude articles that have a zero starting weight

Refer to [Widget Admin Settings](#) for more details on what each option controls.

Add your recommended pages

Enter relative page paths or query strings (depending on whether you've chosen to suggest content based on page path or query string!).

For example, let's say we set our widget up to suggest content based off of the page path and we embedded it on <https://www.knowledgeowl.com>.

If we want to recommend an article on the pricing page (<https://www.knowledgeowl.com/pricing>), we'd enter as our **Recommend on Pages** page.

If your website or application includes URLs that have a variable ID field in them, replace that ID with {id} in your URL.



Built-in {id} limitations

{id} only works with numeric and 24-digit hexadecimal IDs. For IDs that don't match either of those patterns, use the {custom} option via regex in **KB settings > Widget** and configure custom regex rules appropriately.

You may also need to use some custom regex to handle ID values in your URLs; refer the **Regex Replace URLs** section in [Widget Admin Settings](#) for more details.

Once you have the relative URL for pages you want to specify recommended articles or categories for, you can get started.


If you're using a single page application or the URLs in your website/app don't fit well within this framework, your developers can set up the widget to call a function to send a path of your choice to the widget. Refer to [Using Widget 2.0 on Single Page Applications](#) for more information.

The interface is a little different depending on whether you're adding articles or categories, so let's look at each in turn:

Add a new recommended page


To set up an article or category as being recommended:

1. Open the content for editing.
2. Find the **Recommend on Pages** section in the righthand column.
3. Select **Add page** to begin adding a new page.



The Adding new page section displays.

4. Add your page path into the text field with the `/app/documentation` placeholder:



5. Once you've finished adding your page path, select **Save** directly under it.



Recommend On Pages

Adding new page:

[Cancel](#) [Save](#)

Add your page path into the text box and click the **Save** button directly under it

6. The editor updates to show the page path you added:



Recommend On Pages

/pricing

[Add page](#)

The page path now appears in the section with a trashcan icon to the right

7. Repeat this process for any other pages you want to recommend this article on.

8. Be sure to **Save** your article once you're done adding paths.

Update an existing recommended page


To update an existing **Recommend On Pages** path:

1. Open the article or category for editing.
2. In the **Recommend On Pages** section, select the text of the path you want to edit. Here, we'll edit our /pricing page path:




The **Edit page** section displays.

3. Edit the path in the text box.



4. Once you've finished making your edits, select **Save** directly under the page path:




5. Be sure to **Save** your article once you're done making your edits!

Delete an existing recommended page

To remove a page path you no longer want to recommend this content on:

1. Open the article or category for editing.
2. In the **Recommend On Pages** section, select the trashcan icon to the right of the page path you want to remove:



The Article will no longer be recommended on confirmation modal opens.

3. If the displayed page path is the one you want to delete, select **OK** to complete the deletion.
4. The editor updates to remove the path.
5. Once you're done making changes, be sure to **Save** your article!


Order recommended articles

If you've added several recommended articles and you'd like to set the order they display in, you can change the order by editing the article weights for that page in **Reporting > Widget**. Refer to [Recommended Article Weights](#) for more information.

Link to article or category

The link to article or category feature is helpful when referencing another article or category within KnowledgeOwl. It dynamically creates the links based on the unique ID of the articles, so you never have to worry about changed permalinks breaking links in your knowledge base.





To create a link to another article:

1. Select **Insert Link to Article or Category** (or **Link to Article or Category** in the Legacy editor).
2. This will open the **Add Link to Article or Category** pop-up. Start typing in the article or category title you'd like to link to in the **Title of Article or Category** field. Articles and categories matching what you've typed in will appear below. Click on the article you'd like to link to.

A screenshot of the 'Add Link to Article or Category' pop-up form. The form has a title bar with a close button. It contains four text input fields: 'Title of Article or Category' (with placeholder text 'Start typing article or category name...'), 'Link Text' (with placeholder text 'Article or Category Name'), 'Link Name' (with placeholder text 'Link Name'), and 'Link Title' (with placeholder text 'Link Title'). Below these fields is a checkbox labeled 'Open in new browser tab'. At the bottom right are 'Cancel' and 'Add Link' buttons. A dark blue banner at the bottom of the form contains the text 'Sample gif showing the above steps. Hover to play.'

3. Type in the **Link Text** you'd like to use. This is the text that KnowledgeOwl displays on the page for the link.
4. The **Link Text**, **Link Name**, and **Link Title** will automatically be set to the article or category's title. You can overwrite these if you want:
 - **Link Text** is the text that appears in your article. We recommend adjusting this if the article title doesn't make sense in the context of the article, or to change capitalization, and so on.
 - **Link Title** is text that displays when someone hovers over the link.
 - **Link Name** is a largely unused link field now in modern web design, but may still be used by some accessibility tools. We recommend using identical text for the **Link Title** and the **Link Name**.
5. By default, links open in the same tab. You can set them to open in a new tab by checking the box next to **Open in new browser tab**.

6. Once you've finished editing the link, select **Add Link** to insert the link into your article.

Add Link to Article

Title of Article or Category

How do bulk edits/deletes work?

Link Text

how bulk edits work

Link Name

How do bulk edits/deletes work?

Link Title

How do bulk edits/deletes work?

☐ Open in new browser tab

[Cancel](#) [Add Article Link](#)

Click the Add Article Link button to insert your link

Once inserted, you can [edit the hyperlink](#) in the future as you would any other hyperlink.

Here's a sample for a link to an article we have called "How do bulk edits/deletes work?" This inserts a link that looks like this: [how bulk edits work](#).

Add Link to Article or Category

Title of Article or Category

How do bulk edits, archives, and deletes work?

Link Text

How do bulk edits, archives, and deletes work?

Link Name

How do bulk edits, archives, and deletes work?

Link Title

How do bulk edits, archives, and deletes work?

☐ Open in new browser tab

Cancel

Add Link


Sample Add Link to Article configuration

How can I tell if a link to an article or category was created using Link to Article or Category?

Hyperlinks inserted this way don't use the normal article URL as the URL for the hyperlink. Instead, they use a specially-structured code that references the article ID that begins with hg-id.

If you'd like to check if a hyperlink was created using this method:

1. Click on the hyperlink.
2. Click the **Edit Link** icon.



3. This will open a pop-up with the link details. If the hyperlink **URL** includes hg-id: followed by a long string of letters and numbers, it was created using Link to Article or Category:

URL
[[hg-id:5f6e414e8e121cf01b235420]]

Text
how bulk edits work

Title
How do bulk edits/deletes work?

Name
How do bulk edits/deletes work?

☐ **Open in new tab**

Update

Note the hg-id: in the URL; this URL uses the Link to Article or Category