



How to use your own domain

Last Modified on 02/19/2025 1:55 pm EST

Each knowledge base has its own unique KnowledgeOwl subdomain, like ours is `support.knowledgeowl.com`; Your subdomain can be customized under **KB settings > Domain**.

You can also set up a private domain (your own custom URL with no reference to KnowledgeOwl) and point that to your KnowledgeOwl subdomain. You or your webmaster will need to add a CNAME record for your subdomain. Once created, the private domain may take up to 24 hours to be fully synced.

Use our integration with [Let's Encrypt](#) to provide an automatically renewed SSL cert for your knowledge base, at no cost.

Here's the overall process:

1. Have your webmaster [set up a CNAME record](#) that points your private domain (such as `help.mycompany.com`) to your KnowledgeOwl subdomain shown in **KB Settings > Domain** (such as `mycompany.knowledgeowl.com`).
2. In **KB Settings > Domain**, [add the private domain](#).
3. Once the private domain has synced, generate a [Let's Encrypt SSL certificate](#). The domain can take up to 24 hours to sync, but usually it completes in a few minutes.
4. Once you've confirmed the private domain and SSL cert are all working properly, check a couple boxes to [ensure that all requests use your private domain](#), rather than the subdomain.
5. If you're using features that leverage reCAPTCHA as your spam protection, [add a reCAPTCHA key](#).

See below for more detailed information on each step and how to troubleshoot errors you might run into.

Create a CNAME record on your DNS


You will need to have your webmaster create a CNAME entry on your DNS that points your private domain to the KnowledgeOwl subdomain you use in **KB settings > Domain**.

Example: `help.mycompany.com` CNAME record pointing to `mycompany.knowledgeowl.com`

Add a private domain


Once your webmaster has created a CNAME record to handle the relationship between your private domain and your KnowledgeOwl subdomain, you can add your private domain:

1. Go to KB settings > Domain.
2. Select Add private domain under Private domain.



The Private domain setup modal opens.

3. Enter the URL you'd like to use as the Private domain name. You can save at this point, but you'll also need to [add an SSL certificate](#).



Set up your SSL cert


If your private domain uses https:// (most do, and it's a security best practice), you'll need to set up an SSL certificate. For your convenience, we have an integration with Let's Encrypt to set up an autorenewing certificate at no cost to you.



Don't want to use a Let's Encrypt SSL certificate?


You can use your own custom SSL certificates if you're paying for the Business Extras or Enterprise extras or if you've added Custom SSL certificates as a [Subscription add-on](#). If you're paying for one of these options or interested in them for custom SSL certs, [contact us](#) for more info.

1. Go to KB settings > Domain.
2. Select the wrench icon next to your private domain (or just continue from adding it in the previous steps!)



The Private domain setup modal opens.

3. Select Request Let's Encrypt SSL Certificate to set up an autorenewing certificate through [Let's Encrypt](#).



4. If your CNAME record is properly formatted and has synced, a success message displays.




Error setting up SSL certificate

If you get an error message, select the matching error below to jump to more detailed troubleshooting instructions:

- [SSL cert troubleshooting: CNAME record has not fully synced](#)
- [SSL cert troubleshooting: CAA conflict](#)

5. Be sure to Save your changes.

The certificate should appear on your knowledge base within the next 10 minutes. Most browsers let you select the security icon to next to the URL to view the certificate. If this certificate has been applied, you'll see details for a Let's Encrypt Authority X3 certificate, similar to this:



Once the cert is live, follow the next set of instructions to [Make all requests use your new private domain](#).

Make all requests use your new private domain

When your private domain is set up and your SSL cert is working correctly, try navigating to your private domain

and confirm your knowledge base is loading.

Once you've confirmed that, we recommend making two additional changes, both in **KB settings > Domain**:

1. Check the box next to **Use the private domain for application links or actions that open your knowledge base, e.g. View KB**. This setting guarantees that any time an author uses View knowledge base, View Article, or View Category, they're taken to your private domain, not your KnowledgeOwl subdomain.
2. Check the box next to **301 redirect all sub-domain requests to the private domain**. This setting guarantees that if anyone does try to open a page using the KnowledgeOwl subdomain, they'll be redirected to the private domain.



Public knowledge base SEO recommendation

This setting is especially important if you have any publicly-available content. It guarantees that search engines only index your content under the private domain, not the KnowledgeOwl subdomain.

3. Be sure to **Save your changes!**

Add reCAPTCHA

If you've selected to use reCAPTCHA as your spam protection and set up certain features in specific ways, you may also need to add reCAPTCHA once you've added a private domain.

If you do, you'll see a warning in the **KB settings > Domain** page after you've saved your private domain settings:

Domain Settings



You must set up spam protection for your private domain due to one of these settings in use: unrestricted commenters, public subscriptions, and/or requiring Contact Form spam protection.

Enable spam protection by setting up reCAPTCHA keys or selecting our honeypot [below](#).

Sample warning in Domain Settings

You can add the reCAPTCHA Key and Secret further in the **Security and access > Security settings**.

If you're using **honeypot spam protection**, you won't need to do anything extra.

If you're using reCAPTCHA spam protection with a KnowledgeOwl subdomain (such as my-amazing-kb.knowledgeowl.com), you don't need to configure your own reCAPTCHA.

If you're using reCAPTCHA spam protection and you've customized your knowledge base to use your own private domain, such as www.mykb.mycompany.com, you'll need to add your own reCAPTCHA to your site if you have any of these options enabled:

- **KB settings > Comments: The Only allow logged in readers and authors to leave comments box is unchecked**

[e.g. you allow unrestricted commenters]


- **KB settings > Subscriptions:** The **Enable public subscriptions** box is checked (e.g. you allow **public subscriptions**)
- **Customize > Contact form:** The **Use spam protection on ticket submissions** box is checked
 - If you're using this setting and also using **Contextual Help Widget (2.0)**, you'll also need to add a V3 reCAPTCHA to add reCAPTCHA to the Contact tab on the Widget.
 - If you're using this setting and don't have reCAPTCHA enabled, your contact form will display an **invalid domain error** to your end-readers.

What is reCAPTCHA?

Creating a new reCAPTCHA

To create a new reCAPTCHA, you'll need a Google account.

1. Go to <https://www.google.com/recaptcha/admin>
2. If you've never generated a reCAPTCHA before, this should take you directly into the page to create one. If you've generated a reCAPTCHA before, you'll need to click the + in the upper right to Create a new reCAPTCHA.



The screenshot shows the Google reCAPTCHA admin interface. At the top, there's a blue header with the Google reCAPTCHA logo and a user profile icon. Below the header, the page title is "Register a new site". The main content area has several sections: "Label" with a text input field containing "e.g. example.com" and a character count "0 / 50"; "reCAPTCHA type" with two radio button options: "reCAPTCHA v3" (selected) and "reCAPTCHA v2"; "Domains" with a plus sign and the text "Add a domain, e.g. example.com"; "Owners" with a text input field containing "support@knowledgeowl.com" and the label "(You)"; and a checkbox for "Accept the reCAPTCHA Terms of Service". At the bottom, there's a small disclaimer about API usage and a "Privacy - Terms" link.

3. Pick a **label** for your reCAPTCHA. You might use the name of your knowledge base or the URL for it.

4. Select the reCAPTCHA type:

- For use in your overall knowledge base, use reCAPTCHA v2. The "I'm not a robot" checkboxes work well.
- For use in **Contextual Help Widget (2.0)** Contact Form, use reCAPTCHA v3. See **Protect Widget 2.0 Contact Form with reCAPTCHA** for more information.

5. For **domain**, use the URL of your KnowledgeOwl knowledge base.
6. Your Gmail account will automatically be added as an **Owner**. You can add additional email addresses. If you'd like us to be able to help troubleshoot issues with your reCAPTCHA, add support@knowledgeowl.com as an owner.
7. You'll need to check the box next to **Accept the reCAPTCHA Terms of Service**.
8. You can choose to receive or opt out of alerts to owners. These alerts will notify you if Google detects problems with your site, such as misconfigurations affecting the reCAPTCHA or increases in suspicious traffic. We recommended receiving the alerts.
So a completed v2 reCAPTCHA might look something like this:

The screenshot shows the Google reCAPTCHA registration interface. At the top, there's a blue header with 'Google reCAPTCHA'. Below it is a light blue bar with a back arrow and 'Register a new site'. The main form area is white and contains several sections: 'Label' with the text 'My KnowledgeOwl KB' and a character count '18 / 50'; 'reCAPTCHA type' with three radio button options: 'reCAPTCHA v3' (Verify requests with a score), 'reCAPTCHA v2' (Verify requests with a challenge, which is selected), and 'reCAPTCHA v2' sub-options: 'I'm not a robot' Checkbox (selected), 'Invisible reCAPTCHA badge', and 'reCAPTCHA Android'; 'Domains' with a plus sign and the domain 'knowledgeowl.com'; 'Owners' with a plus sign and the email address 'L.com (You)'; a checked checkbox for 'Accept the reCAPTCHA Terms of Service' with a link to the terms; and another checked checkbox for 'Send alerts to owners'. At the bottom, there are 'CANCEL' and 'SUBMIT' buttons.

9. Once you've entered all your selections, click **Submit**.
10. This will take you to a confirmation screen that will provide you with the **Site Key** and the **Secret Key** for your reCAPTCHA.

Adding reCAPTCHA to your site


'Hiking with Sass KnowledgeOwl KB' has been registered.

Use this site key in the HTML code your site serves to users. [See client side integration](#)

 COPY SITE KEY

OXO8D5K

Use this secret key for communication between your site and reCAPTCHA. [See server side integration](#)

 COPY SECRET KEY

dBSTBZE

[GO TO SETTINGS](#)

[GO TO ANALYTICS](#)

You'll need these to add them to your knowledge base!

Add your reCAPTCHA to your knowledge base

With your reCAPTCHA generated, you can add the site key and secret key to your knowledge base. To do so:

1. Go to **Security and access > Spam protection**.
2. In **Spam protection settings**, copy and paste your reCAPTCHA site key and secret key from Google into the appropriate fields here.



Note the different sections for reCAPTCHA Key V2 and reCAPTCHA Key V3. Be sure you're using the right ones!

3. When you're done making changes, click **Save**.

SSL cert troubleshooting: CNAME record has not fully synced

□

Error message text:

The CNAME record for [your private domain] has not fully synced yet.

Please ensure you have added a CNAME DNS record for this domain.

You'll see this error message if:

- You've entered a private domain but your webmaster hasn't created a CNAME record to map the domain to your KnowledgeOwl subdomain.

- Your CNAME record was just created and hasn't synced yet.
- Your CNAME record was improperly formatted.

If you see this message, you may need to [create or update your CNAME record](#) or just wait a few more minutes for it to sync.

SSL cert troubleshooting: CAA policy does not allow

You may see a warning about a CAA policy not allowing certificates to be issued from Let's Encrypt:

The CAA policy for [REDACTED].com does not allow certificates to be issued from Let's Encrypt. ✕

Please refer to our [documentation](#) to resolve.

OK

Certificate Authority Authorization (CAA) records and policies determine which authorities are allowed to issue certificates for a given domain. If you see this warning, it means that it looks like your domain has a CAA which does not include Let's Encrypt as a valid authority.

To fix this error, contact your IT department/network admin and ask them to add `letsencrypt.org` to the current CAA policy or record. Once they've added Let's Encrypt as an authorized authority, come back and [request the SSL cert again](#).

Changing your private domain

If your company rebrands or changes up their website, you may need to change the private domain associated with your knowledge base. When you change your knowledge base's private domain, this will break links to your previous private domain.

To avoid breaking any existing bookmarks or links, you or your webmaster can set up a redirect in your domain registrar account to forward your previous private domain to your new private domain. That way, anyone visiting a link using the old domain will be forwarded to the right place.

Here are the basic steps for changing your private domain:

1. Have your webmaster [create a CNAME record](#) in the DNS settings for your new domain that points the new domain to your KnowledgeOwl subdomain shown in **KB settings > Domain**.
Example: help.mycompany.com CNAME record pointing to mycompany.knowledgeowl.com
2. Have your webmaster set up a redirect from your previous private domain to your new private domain.

Example: redirect helpcenter.mycompany.com (your old private domain) to help.mycompany.com (your new private domain)

3. In the DNS settings for your previous private domain, have your webmaster remove the CNAME record that was pointing that domain to your KnowledgeOwl subdomain.
4. In your KnowledgeOwl account, navigate to **KB settings > Domain**.
5. Select the wrench icon next to your current private domain.



Select the wrench icon next to your private domain

The Private domain setup modal opens.

6. In the **Private domain name** field, replace the old private domain with your [new private domain](#).
7. Select **Request Let's Encrypt SSL Certificate** to [set up an autorenewing certificate](#) through Let's Encrypt.
8. If your new CNAME record is properly formatted and has synced, you'll see a success message.
9. Be sure to **Save** your changes.

Your knowledge base should now be using your new private domain and your SSL certificate will appear within the next 10 minutes. Any links to your old knowledge base private domain will redirect to the new domain.
