

Widget reporting

Last Modified on 04/07/2026 3:28 pm EDT


If you're using one of our contextual help widgets ([Widget 2.0](#), [Modern](#), or [Legacy](#)), access **Reporting > Widget** to view a breakdown of all of the page paths where the widget is recommending articles. You can also tweak the learned bias to adjust the order the recommended articles are displayed in.

[Sample Reporting > Widget](#)

Articles Viewed from Remote Pages

This section displays the **Page Paths** of all pages where someone opened the widget and/or where recommended articles have been configured.

You can then use the [Recommended Article Weights](#) link next to each URL to update the order.



The screenshot shows the KnowledgeOwl Reporting > Widget interface. The top navigation bar includes 'KnowledgeOwl Support', 'Knowledge Base', 'Library', 'Settings', '121 Reporting', and 'View KB'. The left sidebar has 'Dashboard', 'Contact Form', 'Widget', and 'Comments'. The main content area is titled 'Articles Viewed from Remote Pages' and contains a blue informational box with a tip about search weight. Below this is a table with two columns: 'Page Path' and 'Recommended Article Weights'. The 'Page Path' column lists various URLs, each with a red 'x' icon to its left. The 'Recommended Article Weights' column contains blue links for each path. A black arrow points from the first row's link to the right.

Page Path	Recommended Article Weights
/admin/dashboard	Recommended Article Weights
/app/admin-account-settings	Recommended Article Weights
/app/admin-project-new/trial/welcome	Recommended Article Weights
/app/admin-user-edit	Recommended Article Weights
/app/admin-user-edit/aid/{id}	Recommended Article Weights
/app/admin-users	Recommended Article Weights
/app/api-settings	Recommended Article Weights
/app/contact-form/id/{id}	Recommended Article Weights
/app/documentation	Recommended Article Weights
/app/reader-add	Recommended Article Weights
/app/reader-bulk-add	Recommended Article Weights
/app/reader-bulk-create	Recommended Article Weights

Recommended Article Weights

In the [contextual help widget](#), the **Recommended** tab is populated using the [Pages to Recommend On](#) setting. But how does the widget determine the order to display those in?

It uses article weights.

What are article weights?

You set which articles appear in the widget for a given page using the [Recommend on Pages](#) field. Refer to [Use widget for contextual help](#) for more information on using this feature.

When the widget loads from a page and pulls the **Recommended** list, it uses a set of weights to determine the order:

- Anything you've explicitly assigned automatically gets a **Starting Weight** of 1.
- Each time an end-user searches in the widget from this page for something else, we track that and record a small **Learned Bias** for the search. Once an article earns enough total weight, it is displayed in the **Recommended** articles list. These articles all have a starting weight of 0. You can also set the widget to never show articles that only have a learned bias using the **Widget** setting to **Exclude articles that have a zero starting weight**. Refer to the **Suggested Content** section of the [Widget Admin Settings](#) section for information on using this setting.
- Each time any article is opened from the widget for a given a page path, we increment the **Learned Bias** field.
- To determine the display order, the widget uses the **Total Weight** (the **Starting Weight** + **Learned Bias**). It displays the highest weights at the top.

All of this information is stored and displayed in **Reporting > Widget**.

To change the order of articles as they appear in the **Recommended** tab, you can:

- Add or remove this page path from the article or category's **Recommend on Pages**. This changes the **Starting Weight** (1 for recommended; 0 for not).
- Edit the **Learned Bias** field for this article or category in the **Recommended Article Weights** for this page path in **Reporting > Widget** pages.

Refer to the step-by-step instructions in [Edit article weights](#) and the [Article weight editing case study](#) below for more guidance.

Edit article weights

To change the order of recommended articles:

1. Go to **Reporting > Widget**.
2. Find the URI for the page whose **Recommended Articles** you'd like to change the order of, and click the **Recommended Article Weights** link for it:

The page updates to display **Articles Associated with "[your-page-path]"**.

3. The **Articles Associated with** page displays a list of all the articles that the widget is aware of on that page path.

4. The **Starting Weight** is either 0 or 1. All pages set using Pages to Recommend on have a starting weight of 1; all pages added here as a result of end-user search have a starting weight of 0.
5. Edit the **Learned Bias** to move an article in the list. The **Total Weight** is what determines the order, with the highest weight at the top of the list, and the lowest weight at the bottom.
6. When you're done making changes, scroll to the bottom of the page and select **Update Bias** to save your changes.

Article weight editing case study

The changes make more sense if you can think through them all the way, so let's use an example.

Let's say I'm reviewing the article list for what our **Help > In-app help** link should display in the **Recommended** tab from our **Articles** page.

When I open the **Articles Associated with...** page, here are the entries in it:

Article	Starting Weight	Learned Bias	Total Weight
Edit an article	0	148.17	148.17
Edit a category	0	14.97	14.97
Versions	0	12	12
Manage articles	0	7.88	7.88
Homepage overview	0	3.06	3.06
Files page: Manage images and files	0	2.7	2.7
Create a category	1	0.5	1.5
Article creation guide	1	0.45	1.45
Reorder and move categories	1	0.4	1.4

The three articles I've explicitly recommended here (with Starting Weight of 1, those are "Create a category", "Article creation guide", and "Reorder and move categories") are being served low in the list due to really high **Learned Bias** on other articles.

One way to solve this is to turn off displaying articles which only have **Learned Bias** for my widget overall. This is the **Exclude articles that have a zero starting weight** option in the **Suggested Content** section of the **Widget's Admin Settings**. Refer to [Widget Admin Settings section](#) for more details on working with these settings.

But I can also make changes specifically for this page:

- It seems like "Edit an article" and "Edit a category" get opened frequently from this page, so I edit those both to add this page path as a **Recommend On Pages** path. This sets their **Starting Weight** to 1.
- I edit the **Learned Bias** field for all of the articles so I can better control the order, setting the things I want listed first to the highest bias.

After these changes, my page might instead look like this:

Article	Starting Weight	Learned Bias	Total Weight
Create a category	1	10.0	11.0

Article	Starting Weight	Learned Bias	Total Weight
Article creation guide	1	9.0	10.0
Reorder and move categories	1	8.0	9.0
Edit an article	1 (added as recommended on page)	7.0	8.0
Edit a category	1 (added as recommended on page)	6.0	7.0
Version	0	0	0
Manage articles	0	0	0
Homepage overview	0	0	0
Files page: Manage images and files	0	0	0

The widget will now display these articles in this order on my **Recommended** tab:

1. Create a category
2. Article creation guide
3. Reorder and move categories
4. Edit an article
5. Edit a category