



Use action links with # or javascript:void(0)

Last Modified on 04/03/2024 1:36 pm EDT

Sometimes, hyperlinks are used to trigger a particular action rather than opening to a given page or resource (such as opening the widget [Open widget to a specific article or category.](#))

If you've imported content from somewhere else, there is a chance you may have added links with this format (or you may have them there on purpose for specific functionality!).

Standard conventions for these types of hyperlinks are to set the link's URL to be either `#` or `javascript:void(0)`.

The problem

Our editor will usually try to encode that HTML on-save, so instead of getting `javascript:void(0)`, it gets converted to `javascript%3Aavoid(0)`, which breaks the link's underlying action.

Solutions

There are two ways to resolve this issue:

1. Adjust the link URL to use `#` instead.
 - a. This can typically be used in exactly the same way as `javascript:void(0)` and won't be stripped out by the editor.
2. Create a snippet that contains the `javascript:void(0)` text and use that snippet merge code as the URL for these links.

We recommend using the first approach wherever possible, since it is very simple and you can quickly update the URL directly in the article editor. But if you'd like to try the second:

1. Go to **Library > Snippets**.
2. Select the **+ Create New Snippet** button.
3. When the create snippet page appears give your snippet a **Name**, like **Javascript Void**.
4. Add a snippet **Description**.
5. Next to **Snippet Content**, select **Code Editor** from the dropdown:

Snippet Name
My Snippet

Merge Code Name
my_snippet

Merge Code Value
{{snippet.}}

Limited to alphanumeric characters, dashes, and underscores

Snippet Description
This snippet is used to...

Snippet Content [WYSIWYG Editor](#)

Image Caption

6. Copy the code below and paste it into the Snippet Content editor.

```
javascript:void(0)
```

7. DO NOT toggle the Snippet Content back to WYSIWYG Editor; keep it in Code Editor.

8. Your final snippet should look something like this:

Snippet Name

Merge Code Name

Merge Code Value

Limited to alphanumeric characters, dashes, and underscores

Snippet Description

This snippet contains the javascript:void(0) text for use in certain action links, so it won't get stripped out of the editor.

Snippet Content [Code Editor](#) ▾


All javascript and css needs to be wrapped in the proper tags - <script>, <style>, etc.

```
javascript:void(0)
```

Sample Javascript Void snippet

9. Once you're done making changes, select **Create** to finish creating your snippet.

With your snippet created, you can use the full merge code as the URL for any hyperlink that you want to use `javascript:void(0)` in, like this:



The image shows a toolbar with icons for link, anchor, image, table, document, list, and list with dropdown arrows. Below the toolbar is a dialog box for inserting a hyperlink. The dialog has four input fields: 'URL' containing the placeholder code `{{snippet.javascriptVoid}}`, 'Text' containing 'See our documentation', 'Title' containing 'Click here', and 'Name' which is empty. There is a checkbox for 'Open in new tab' which is currently unchecked. An 'Insert' button is located at the bottom right of the dialog.

Sample hyperlink using the javascriptVoid snippet.
Note that the full snippet merge code is used for
the URL.