



# Default HTML

Last Modified on 03/31/2026 11:55 am EDT

Use this HTML to restore individual knowledge base layout templates.

## Default Homepage HTML

This is the default HTML for **Customize > Style (HTML & CSS) > Customize HTML, CSS, and JS > Custom HTML > Homepage**. You can use it for reference or copy/paste it in and resave to return to the original default state.

For the default HTML for **Customize > Homepage** for older knowledge bases that use that HTML, refer to [Default Homepage Article HTML](#).

```
<div class="ko-homepage-top">
  <h1 class="hg-article-title xcolor">[homepage("title")]</h1>
  [template("large-search")]
</div>
<div class="hg-article">
  <div class="hg-article-body">
    <div>[homepage("body")]</div>
  <div>[template("icon-cats,max=8,col=4,desc=0")]</div>
  <div class="homepage-widgets row">
    <div class="col-md-4 col-sm-6"><h3>[translation("article-lists:popular-articles")]</h3>[template("pop-articles")]</div>
    <div class="col-md-4 col-sm-6"><h3>[translation("article-lists:new-articles")]</h3>[template("new-articles")]</div>
    <div class="col-md-4 col-sm-6"><h3>[translation("article-lists:updated-articles")]</h3>[template("up-articles")]</div>
  </div>
</div>
```

## Default Body HTML

This is the default HTML for **Customize > Style (HTML & CSS) > Customize HTML, CSS, and JS > Custom HTML > Body**. You can use it for reference or copy/paste it in and resave to return to the original default state.

```

<div class="row hg-site-body slideout-new">
  [template("layout")]
  { {snippet.backToTop} }
</div>
<div class="row ko-site-footer text-center xsize">
  <div>Copyright © 2025 Your Company, LLC. All rights reserved.
    <br>Made with <a href="https://www.knowledgeowl.com" target="_blank">KnowledgeOwl</a> 
  </div>
</div>

```

## Default Top Navigation HTML

This is the default HTML for [Customize > Style \(HTML & CSS\) > Customize HTML, CSS, and JS > Custom HTML > Top Navigation](#). You can use it for reference or copy/paste it in and resave to return to the original default state.

```

<div class="navbar-header">
  [template("slideout-left-toggle")]
  <a class="navbar-brand" href="/[template("rootpath")]" title="[template("project-name")]">[template("project-lo
go")]</a>
  <div class="hg-project-name">[template("project-name")]</div>
  <div class="nav-left-searchbar hidden-xs">
    [template("searchbar")]
  </div>
  <button type="button" class="navbar-toggle toc-toggle pull-left clear-left" data-toggle="collapse" data-target=".docu
mentation-categories">
    <span class="sr-only">[translation("top-navigation:table-of-contents")]</span>
    <span class="browse">[translation("top-navigation:table-of-contents")]</span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
  </button>
  [template("slideout-right-toggle")]
  <button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
    <span class="sr-only">[translation("top-navigation:toggle-navigation")]</span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
  </button>
</div>
<div class="navbar-collapse collapse" id="navbar-collapse">
  [template("slideout-right-toggle")]
  <ul class="nav navbar-nav navbar-right">
    <li>[template("searchbar")]</li>
    <li>[template("contact")]</li>
    <li>[template("login")]</li>
  </ul>
</div>

```

## Default Article HTML

This is the default HTML for [Customize > Style \(HTML & CSS\) > Customize HTML, CSS, and JS > Custom HTML >](#)

**Article.** You can use it for reference or copy/paste it in and resave to return to the original default state.

```
<div class="hg-article">
  <div class="hg-article-header">
    <h1 class="hg-article-title">[article("title")][article("action_icons")]</h1>
    <div class="metadata">
      [article("required_reading_flag")]
      [translation("article:last-modified-on-label")]
      [article("date_modified")]
    </div>
  </div>
  <div class="hg-article-body">
    [article("body")]
    [article("required_reading_acknowledgement")]
  </div>
  <div class="hg-article-footer clear-both">
    <div class="ko-related-articles text-center">
      <h3>[translation("article:related-articles-heading")]</h3>
      [template("related")]
    </div>
    [template("rating")]
    [template("comments")]
  </div>
</div>
```

## Default Article Version HTML

This is the default HTML for [Customize > Style \(HTML & CSS\) > Customize HTML, CSS, and JS > Custom HTML > Article Version](#). You can use it for reference or copy/paste it in and resave to return to the original default state.

```

<div class="hg-article">
  <div class="hg-article-header">
    <h1 class="hg-article-title">[article("title")][article("action_icons")]</h1>
    <div class="version-metadata">
      <div class="version-number">[translation("article:version-number")] [article("version")]</div>
      <div class="version-author">[translation("article:version-author")] [article("version_author")]</div>
      <div class="version-creation-date">[translation("article:version-date-created")] [article("version_created")]
    </div>
    <div class="version-activation-date">[translation("article:version-date-activated")] [article("version_activated")]</div>
    <div class="version-activation-author">[translation("article:version-activating-author")] [article("version_activated_by")]</div>
    <div class="version-deactivation-date">[translation("article:version-date-deactivated")] [article("version_deactivated")]</div>
    <div class="version-deactivation-author">[translation("article:version-deactivating-author")] [article("version_deactivated_by")]</div>
  </div>
  <div class="hg-article-body">
    [article("body")]
  </div>
  <div class="hg-article-footer">
    <div class="ko-related-articles text-center">
      <h3>[translation("article:related-articles-heading")]</h3>
      [template("related")]
    </div>
  </div>
</div>

```

## Default Login HTML

This is the default HTML for [Customize > Style \(HTML & CSS\) > Customize HTML, CSS, and JS > Custom HTML > Login Page](#). You can use it for reference or copy/paste it in and resave to return to the original default state.



### Login page only

This is for the Login Page. Default HTML to add a login link back to your Top Navigation is in [Default Top Navigation HTML](#).

```

<div class="container login-container">
  [template("login-page")]
</div>

```

## Default Manage Reader Subscriptions HTML

This is the default HTML for [Customize > Style \(HTML & CSS\) > Customize HTML, CSS, and JS > Custom HTML > Manage Reader Subscriptions](#). You can use it for reference or copy/paste it in and resave to return to the original default state.

```
<div class="container reader-subscriptions-container">
  [template("readersubscriptions-page")]
</div>
```

## Default 404 Error Page HTML

This is the default HTML for **Customize > Style (HTML & CSS) > Customize HTML, CSS, and JS > Custom HTML > 404 Error Page**. You can use it for reference or copy/paste it in and resave to return to the original default state.

```
<div class="documentation-article">
  <div class="ko-content-cntr">
    <div class="hg-article">
      <div class="error-page-top text-center">
        <h1 class="top-marginless">Uh oh! We're sorry.</h1>
        <h2>We weren't able to find that page.</h2>
        <h3>Try a search or let us take you <a href="[template("rootpath")]>home</a>.</h3>
        [template("large-search")]
      </div>
      <div class="homepage-widgets">
        <div class="col-md-4">
          <h3>[translation("article-lists:popular-articles")]</h3>
          [template("pop-articles")]
        </div>
        <div class="col-md-4">
          <h3>[translation("article-lists:updated-articles")]</h3>
          [template("up-articles")]
        </div>
        <div class="col-md-4">
          <h3>[translation("article-lists:new-articles")]</h3>
          [template("new-articles")]
        </div>
      </div>
    </div>
  </div>
</div>
```

## Default Restricted Access Page HTML

This is the default HTML for **Customize > Style (HTML & CSS) > Customize HTML, CSS, and JS > Custom HTML > Login**. You can use it for reference or copy/paste it in and resave to return to the original default state.

```
<div class="hg-site-login">
  <div class="alert alert-danger text-center">
    <h4><i class="fa fa-exclamation-triangle"></i> You do not have access to view this content.</h4>
  </div>
</div>
```

## Default Right Column HTML

This is the default HTML for **Customize > Style (HTML & CSS) > Customize HTML, CSS, and JS > Custom HTML > Right Column**. You can use it for reference or copy/paste it in and resave to return to the original default state.

```
<div class="panel panel-default right-col-panel art-info-panel">
  <div class="panel-heading">About this Article</div>
  <ul class="list-unstyled stat-list">
    <li>Created: [article("date_created")]</li>
    <li>Last updated: [article("date_modified")]</li>
    <li class="hg-article-controls-right">
      [article("action_icons")]
    </li>
  </ul>
</div>
```

## Default Homepage Article HTML (deprecated)

This is the default HTML for the **Customize > Homepage** content editor used in older knowledge bases. You can use it for reference or copy/paste it in and resave to return an older knowledge base to the original default state.

For the default HTML in **Customize > Style (HTML & CSS) > Customize HTML, CSS, and JS > Custom HTML > Homepage**, refer to [Default Homepage HTML](#).



### Only for older knowledge bases

This default HTML was used in knowledge bases created before 14 December 2022. New knowledge bases created after that date do not use **Homepage** and instead store all their HTML in **Customize > Style (HTML & CSS) > Customize HTML, CSS, and JS > Custom HTML > Homepage**. Only use the HTML below if you're restoring the theme on an older knowledge base.

```
<div>[template("icon-cats")]</div>
<div class="homepage-widgets">
  <div class="col-md-4 col-sm-6">
    <h3>[translation("article-lists:popular-articles")]</h3>
    [template("pop-articles")]</div>
  <div class="col-md-4 col-sm-6">
    <h3>[translation("article-lists:new-articles")]</h3>
    [template("new-articles")]</div>
  <div class="visible-sm clear-both"></div>
  <div class="col-md-4 col-sm-6">
    <h3>[translation("article-lists:updated-articles")]</h3>
    [template("up-articles")]</div>
</div>
```