



Available email notification events

Last Modified on 07/22/2025 3:05 pm EDT

Below are the knowledge base events you can trigger an email notification on, along with some sample email notifications.



Need something else?

If you have an event that you'd like to receive email notifications on that's not listed below, [contact us](#) to request we add it!

Article created

The **Article created** event is triggered when an author selects **Create** for a new article.

Sample Article created email notification

Subject: Article created: [Article title]

Body:

Who: [Author name] [author@domain.com]

What: Article created

Title: [Article title]

Edit Article (link to the article in app.knowledgeowl.com)

Article updated

The **Article updated** event is triggered whenever an author saves changes to an article.

It does not provide information about what was changed.

Sample Article updated email notification

Subject: Article updated: [Article title]

Body:

Who: Author Name (author-email@domain.com)

What: Article updated

Title: [Article title]

Edit Article (link to the article in app.knowledgeowl.com) | View Live Article (link to the article in your live knowledge base--only shown if the article's status is Published or Needs Review)

Article updated callout added

The **Article updated callout added** event is triggered when an author saves an article with the **Updated callout**. It's only triggered if the article previously didn't have an existing New/Updated callout.

Sample Article updated callout added email notification

Subject: Article updated callout added: [Article title]

Body:

Who: Author Name (author-email@domain.com)

What: Updated callout expiring on [Callout expiration date] added to article

Title: [Article title]

Edit Article (link to the article in app.knowledgeowl.com) | View Live Article (link to the article in your live knowledge base)

Article new callout added

The **Article new callout added** event is triggered when an author saves an article with the **New callout**. It's only triggered if the article previously didn't have an existing New/Updated callout.

Sample Article new callout added email notification

Subject: Article new callout added: [Article title]

Body:

Who: Author Name (author-email@domain.com)

What: New callout expiring on [Callout expiration date] added to article

Title: [Article title]

Edit Article (link to the article in app.knowledgeowl.com) | View Live Article (link to the article in your live knowledge base)

Article published

The **Article published** event is triggered when an author publishes a previously unpublished article, either in the article editor or through a [bulk edit in Manage](#).

Sample Article published email notification

Subject: Article published: [Article title]

Body:

Who: Author Name (author-email@domain.com)

What: Article published

Title: [Article title]

Edit Article (link to the article in app.knowledgeowl.com) | View Live Article (link to the article in your live knowledge base)

Article archived

The **Article archived** event is triggered when an author saves an article with the Archived [publishing status](#) or [archives articles in Manage](#).

Sample Article archived email notification

Subject: Article archived: [Article title]

Body:

Who: Author Name (author-email@domain.com)

What: Article archived

Title: [Article title]

Edit Article (link to the article in app.knowledgeowl.com)

Article deleted

The **Article deleted** event is triggered when an author deletes an article, whether from the Articles page, the article editor, or as a [bulk edit in Manage](#).

Sample Article deleted email notification

Subject: Article deleted: [Article title]

Body:

Who: Author Name {author-email@domain.com}

What: Article deleted

Title: [Article title]

Edit Article (link to the article in app.knowledgeowl.com)

Article publishing status changed

The **Article publishing status changed** event is triggered when when an article's saved with a different **publishing status**.

This event will also trigger any time the Article published, Article archived, and Article deleted events trigger.

Sample Article publishing status changed email notification

Subject: Article status changed: [Article title]

Body:

Who: Author Name {author-email@domain.com}

What: Article status changed from *[Original status]* to *[New status]*.

Title: [Article title]

Edit Article (link to the article in app.knowledgeowl.com) | View Live Article (link to the article in your live knowledge base--only shown if the new status is Published or Needs Review)

Comment created

The **Comment created** event is triggered when a reader submits a new **comment** or an author creates a new comment from **Reporting > Comments**.

Sample Comment created email notification

Subject: Comment submitted: [Article title]

Body:

What: Comment submitted

Posted by: Commenter name [commenter-email@domain.com]

Comment: [The text of the comment submitted.]

Article title: [Article title]

View Comments [Link to your knowledge base's **Reporting > Comments**] | Edit Article [link to the article in app.knowledgeowl.com]

If the comment was created by an author in **Reporting > Comments**, that author is identified in an additional **Who** entry between **What** and **Posted by**.

Comment deleted

The **Comment deleted** event is triggered when an author **deletes** a comment.

Sample Comment deleted email notification

Subject: Comment deleted: [Article title]

Body:

What: Comment deleted

Who: [Name of author who deleted the comment]

Posted by: Original commenter name [commenter-email@domain.com]

Comment: [The text of the comment submitted.]

Article title: [Article title]

View Comments [Link to your knowledge base's **Reporting > Comments**] | Edit Article [link to the article in app.knowledgeowl.com]

Comment updated

The **Comment updated** event is triggered whenever an author edits a **comment**, such as by **approving or deleting it**.

Sample Comment updated email notification

Subject: Comment updated: [Article title]

Body:

What: Comment updated

Who: [Name of author who made the update]

Posted by: Original commenter name [commenter-email@domain.com]

Comment: [The text of the comment submitted.]

Article title: [Article title]

View Comments [Link to your knowledge base's **Reporting > Comments**] | Edit Article [link to the article in app.knowledgeowl.com]

Comment status changed

The **Comment status changed** event is triggered when an author [changes a comment's status](#), for example from Pending to Approved or Deleted.

Sample Comment status changed email notification

Subject: Comment status changed: [Article title]

Body:

What: Comment status changed from *[Old comment status]* to *[New comment status]*.

Who: [Name of author who changed the status]

Posted by: Commenter name [commenter-email@domain.com]

Comment: [The text of the comment submitted.]

Article title: [Article title]

View Comments [Link to your knowledge base's **Reporting > Comments**] | Edit Article [link to the article in app.knowledgeowl.com]

Contact form submitted

The **Contact form submitted** event is triggered when a reader submits the [Contact Form](#).

Sample Contact form submitted email notification

Subject: Contact form submitted: [Contact form subject]

Body:

What: Contact form submitted

Who: Submitter name (submitter-email@domain.com)

Subject: [Contact form subject text]

Body: [Contact form body text]

IP Address: [IP address]

Browser: [Browser]

Operating System: [Operating system info]

User Agent: [User agent string]



Reader metadata

If you don't want the submitter's IP Address, Browser, Operating System, and User Agent included in these email notifications, refer to [What data is collected in the Contact Form?](#) to either exclude it from emails or to disable storing it completely.